
RIVA

Regular slat Format **White oak** Species **Crystal** Color



DESCRIPTION

Add depth and personality to interior spaces with this decorative covering that will turn any room into a distinctive area. Usually found in living rooms or interior walls, its benefits include insulation and noise reduction. A work of art on its own!



Total thickness	7/8" (22mm)	Formaldehyde emission (EN-120)	E1
Width	3 3/4" (96mm)		
Length (ft)	10′ (118″)	Fire reaction (UNE 23727)	D-S2,dO
CHARACTERISTICS		ProFiling system	Tongue & groove
Construction	Solid Hardwood	Durability of material	2-3
Finish	Water based varnish	(UNE-EN 350-2)	
Intended uses	Interior walls & ceilings	Density of material	45.5 lbs/ft3












RIVA

Wide slat Format **White oak** Species **Crystal** Color



DESCRIPTION

Add depth and personality to interior spaces with this decorative covering that will turn any room into a distinctive area. Usually found in living rooms or interior walls, its benefits include insulation and noise reduction. A work of art on its own!



DIMENSIONS

Total thickness	7/8" (22mm)	Formaldehyde emission (EN-120)	E1
Width	3 3/4" (96mm)		
Length (ft)	10' (118")	Fire reaction (UNE 23727)	D-S2,dO
CHARACTERISTICS		ProFiling system	Tongue & groove
Construction	Solid Hardwood	Durability of material	2-3
Finish	Water based varnish	(UNE-EN 350-2)	
Intended uses	Interior walls & ceilings	Density of material	45.5 lbs/ft3











Sello de calidad


RIVA

Narrow Format **White oak** Species **Crystal** Color



DESCRIPTION

Add depth and personality to interior spaces with this decorative covering that will turn any room into a distinctive area. Usually found in living rooms or interior walls, its benefits include insulation and noise reduction. A work of art on its own!



Total thickness	7/8" (22mm)	Formaldehyde emission (EN-120)	E1
Width	3 3/4" (96mm)		
Length (ft)	10' (118")	Fire reaction (UNE 23727)	D-S2,dO
CHARACTERISTICS		ProFiling system	Tongue & groove
Construction	Solid Hardwood	Durability of material	2-3
Finish	Water based varnish	(UNE-EN 350-2)	
Intended uses	Interior walls & ceilings	Density of material	45.5 lbs/ft3












RIVA

Regular slat Format White oak Species **Pearl** Color



DESCRIPTION

Add depth and personality to interior spaces with this decorative covering that will turn any room into a distinctive area. Usually found in living rooms or interior walls, its benefits include insulation and noise reduction. A work of art on its own!



Total thickness	7/8" (22mm)	Formaldehyde emission (EN-120)	E1
Width	3 3/4" (96mm)		
Length (ft)	10′ (118″)	Fire reaction (UNE 23727)	D-S2,d0
CHARACTERISTICS		ProFiling system	Tongue & groove
Construction	Solid Hardwood	Durability of material	2-3
Finish	Water based varnish	(UNE-EN 350-2)	
Intended uses	Interior walls & ceilings	Density of material	45.5 lbs/ft3












RIVA

Wide slat Format White oak Species **Pearl** Color



DESCRIPTION

Add depth and personality to interior spaces with this decorative covering that will turn any room into a distinctive area. Usually found in living rooms or interior walls, its benefits include insulation and noise reduction. A work of art on its own!



Total thickness	7/8" (22mm)	Formaldehyde emission (EN-120)	E1
Width	3 3/4" (96mm)		
Length (ft)	10' (118")	Fire reaction (UNE 23727)	D-S2,d0
CHARACTERISTICS		ProFiling system	Tongue & groove
Construction	Solid Hardwood	Durability of material	2-3
Finish	Water based varnish	(UNE-EN 350-2)	
Intended uses	Interior walls & ceilings	Density of material	45.5 lbs/ft3














RIVA

Narrow Format **White oak** Species **Crystal** Color



DESCRIPTION

Add depth and personality to interior spaces with this decorative covering that will turn any room into a distinctive area. Usually found in living rooms or interior walls, its benefits include insulation and noise reduction. A work of art on its own!



Total thickness	7/8" (22mm)	Formaldehyde emission (EN-120)	E1
Width	3 3/4" (96mm)	(LIN-120)	
Length (ft)	10' (118")	Fire reaction (UNE 23727)	D-S2,d0
CHARACTERISTICS		ProFiling system	Tongue & groove
Construction	Solid Hardwood	Durability of material	2-3
Finish	Water based varnish	(UNE-EN 350-2)	
Intended uses	Interior walls & ceilings	Density of material	45.5 lbs/ft3












RIVA

Regular slat Format Walnut Species **Walnut** Color



DESCRIPTION

Add depth and personality to interior spaces with this decorative covering that will turn any room into a distinctive area. Usually found in living rooms or interior walls, its benefits include insulation and noise reduction. A work of art on its own!



Total thickness	7/8" (22mm)	Formaldehyde emission (EN-120)	E1
Width	3 3/4" (96mm)		
Length (ft)	10′ (118″)	Fire reaction (UNE 23727)	D-S2,d0
CHARACTERISTICS		ProFiling system	Tongue & groove
Construction	Solid Hardwood	Durability of material	2-3
Finish	Water based varnish	(UNE-EN 350-2)	
Intended uses	Interior walls & ceilings	Density of material	45.5 lbs/ft3












RIVA

Wide slat Format Walnut Species **Walnut** Color



DESCRIPTION

Add depth and personality to interior spaces with this decorative covering that will turn any room into a distinctive area. Usually found in living rooms or interior walls, its benefits include insulation and noise reduction. A work of art on its own!



Total thickness	7/8" (22mm)	Formaldehyde emission (EN-120)	E1
Width	3 3/4" (96mm)		
Length (ft)	10' (118")	Fire reaction (UNE 23727)	D-S2,dO
CHARACTERISTICS		ProFiling system	Tongue & groove
Construction	Solid Hardwood	Durability of material	2-3
Finish	Water based varnish	(UNE-EN 350-2)	
Intended uses	Interior walls & ceilings	Density of material	45.5 lbs/ft3












RIVA

Narrow Format Walnut Species **Walnut** Color



DESCRIPTION

Add depth and personality to interior spaces with this decorative covering that will turn any room into a distinctive area. Usually found in living rooms or interior walls, its benefits include insulation and noise reduction. A work of art on its own!



Total thickness	7/8" (22mm)	Formaldehyde emission (EN-120)	E1
Width	3 3/4" (96mm)		
Length (ft)	10' (118")	Fire reaction (UNE 23727)	D-S2,d0
CHARACTERISTICS		ProFiling system	Tongue & groove
Construction	Solid Hardwood	Durability of material	2-3
Finish	Water based varnish	(UNE-EN 350-2)	
Intended uses	Interior walls & ceilings	Density of material	45.5 lbs/ft3









