

RIVA\CLADDING

Regular slat
Format


White oak
Species

Crystal
Color



DESCRIPTION

Add depth and personality to interior spaces with this decorative covering that will turn any room into a distinctive area. Usually found in living rooms or interior walls, its benefits include insulation and noise reduction. A work of art on its own!



DIMENSIONS

Total thickness	7/8" (22mm)
Width	4 3/4" (120mm)
Length (ft)	10' (118") 80% Fixed / 20% RL RL = 3' - 9.5'

CHARACTERISTICS

Construction	Solid Hardwood
Finish	Water based varnish
Intended uses	Interior walls & ceilings

Formaldehyde emission (EN-120)	E1
Fire reaction (UNE 23727)	D-S2,d0
Profiling system	Tongue & groove
Durability of material (UNE-EN 350-2)	2-3
Density of material	45.5 lbs/ft3



RIVA\CLADDING

Wide slat
Format


White oak
Species

Crystal
Color



DESCRIPTION

Add depth and personality to interior spaces with this decorative covering that will turn any room into a distinctive area. Usually found in living rooms or interior walls, its benefits include insulation and noise reduction. A work of art on its own!



DIMENSIONS

Total thickness	7/8" (22mm)
Width	4 3/4" (120mm)
Length (ft)	10' (118") 80% Fixed / 20% RL RL = 3' - 9.5'

CHARACTERISTICS

Construction	Solid Hardwood
Finish	Water based varnish
Intended uses	Interior walls & ceilings

Formaldehyde emission (EN-120)	E1
Fire reaction (UNE 23727)	D-S2,d0
Profiling system	Tongue & groove
Durability of material (UNE-EN 350-2)	2-3
Density of material	45.5 lbs/ft3



RIVA\CLADDING

Narrow
Format


White oak
Species

Crystal
Color



DESCRIPTION

Add depth and personality to interior spaces with this decorative covering that will turn any room into a distinctive area. Usually found in living rooms or interior walls, its benefits include insulation and noise reduction. A work of art on its own!



DIMENSIONS

Total thickness	7/8" (22mm)
Width	4 3/4" (120mm)
Length (ft)	10' (118") 80% Fixed / 20% RL RL = 3' - 9.5'

CHARACTERISTICS

Construction	Solid Hardwood
Finish	Water based varnish
Intended uses	Interior walls & ceilings

Formaldehyde emission (EN-120)	E1
Fire reaction (UNE 23727)	D-S2,d0
Profiling system	Tongue & groove
Durability of material (UNE-EN 350-2)	2-3
Density of material	45.5 lbs/ft3




RIVA\CLADDING

Regular slat
Format


White oak
Species

Pearl
Color



DESCRIPTION

Add depth and personality to interior spaces with this decorative covering that will turn any room into a distinctive area. Usually found in living rooms or interior walls, its benefits include insulation and noise reduction. A work of art on its own!



DIMENSIONS

Total thickness	7/8" (22mm)
Width	4 3/4" (120mm)
Length (ft)	10' (118") 80% Fixed / 20% RL RL = 3' - 9.5'

CHARACTERISTICS

Construction	Solid Hardwood
Finish	Water based varnish
Intended uses	Interior walls & ceilings

Formaldehyde emission (EN-120)	E1
Fire reaction (UNE 23727)	D-S2,d0
Profiling system	Tongue & groove
Durability of material (UNE-EN 350-2)	2-3
Density of material	45.5 lbs/ft3




RIVA\CLADDING

Wide slat
Format


White oak
Species

Pearl
Color



DESCRIPTION

Add depth and personality to interior spaces with this decorative covering that will turn any room into a distinctive area. Usually found in living rooms or interior walls, its benefits include insulation and noise reduction. A work of art on its own!



DIMENSIONS

Total thickness	7/8" (22mm)
Width	4 3/4" (120mm)
Length (ft)	10' (118") 80% Fixed / 20% RL RL = 3' - 9.5'

CHARACTERISTICS

Construction	Solid Hardwood
Finish	Water based varnish
Intended uses	Interior walls & ceilings

Formaldehyde emission (EN-120)	E1
Fire reaction (UNE 23727)	D-S2,d0
Profiling system	Tongue & groove
Durability of material (UNE-EN 350-2)	2-3
Density of material	45.5 lbs/ft3




RIVA\CLADDING

Narrow
Format


White oak
Species

Pearl
Color



DESCRIPTION

Add depth and personality to interior spaces with this decorative covering that will turn any room into a distinctive area. Usually found in living rooms or interior walls, its benefits include insulation and noise reduction. A work of art on its own!



DIMENSIONS

Total thickness	7/8" (22mm)
Width	4 3/4" (120mm)
Length (ft)	10' (118") 80% Fixed / 20% RL RL = 3' - 9.5'

CHARACTERISTICS

Construction	Solid Hardwood
Finish	Water based varnish
Intended uses	Interior walls & ceilings

Formaldehyde emission (EN-120)	E1
Fire reaction (UNE 23727)	D-S2,d0
Profiling system	Tongue & groove
Durability of material (UNE-EN 350-2)	2-3
Density of material	45.5 lbs/ft3



RIVA\CLADDING




Regular slat
Format

Black Walnut
Species

Natural Walnut
Color

DESCRIPTION

Add depth and personality to interior spaces with this decorative covering that will turn any room into a distinctive area. Usually found in living rooms or interior walls, its benefits include insulation and noise reduction. A work of art on its own!



DIMENSIONS

Total thickness	7/8" (22mm)
Width	4 3/4" (120mm)
Length (ft)	10' (118") 80% Fixed / 20% RL RL = 3' - 9.5'

CHARACTERISTICS

Construction	Solid Hardwood
Finish	Water based varnish
Intended uses	Interior walls & ceilings

Formaldehyde emission (EN-120)	E1
Fire reaction (UNE 23727)	D-S2,d0
Profiling system	Tongue & groove
Durability of material (UNE-EN 350-2)	2-3
Density of material	45.5 lbs/ft3



RIVA\CLADDING

Wide slat
Format


Black Walnut
Species

Natural Walnut
Color



DESCRIPTION

Add depth and personality to interior spaces with this decorative covering that will turn any room into a distinctive area. Usually found in living rooms or interior walls, its benefits include insulation and noise reduction. A work of art on its own!



DIMENSIONS

Total thickness	7/8" (22mm)
Width	4 3/4" (120mm)
Length (ft)	10' (118") 80% Fixed / 20% RL RL = 3' - 9.5'

CHARACTERISTICS

Construction	Solid Hardwood
Finish	Water based varnish
Intended uses	Interior walls & ceilings

Formaldehyde emission (EN-120)	E1
Fire reaction (UNE 23727)	D-S2,d0
Profiling system	Tongue & groove
Durability of material (UNE-EN 350-2)	2-3
Density of material	45.5 lbs/ft3



RIVA\CLADDING

Narrow
Format


Black Walnut
Species

Natural Walnut
Color



DESCRIPTION

Add depth and personality to interior spaces with this decorative covering that will turn any room into a distinctive area. Usually found in living rooms or interior walls, its benefits include insulation and noise reduction. A work of art on its own!



DIMENSIONS

Total thickness	7/8" (22mm)
Width	4 3/4" (120mm)
Length (ft)	10' (118") 80% Fixed / 20% RL RL = 3' - 9.5'

Formaldehyde emission (EN-120)	E1
Fire reaction (UNE 23727)	D-S2,d0

CHARACTERISTICS

Construction	Solid Hardwood
Finish	Water based varnish
Intended uses	Interior walls & ceilings

Profiling system	Tongue & groove
Durability of material (UNE-EN 350-2)	2-3
Density of material	45.5 lbs/ft3

