


VITA

LIVE NATURAL



DESCRIPTION

Alba Name	7.2" Width	Prime Grade	Thickness (in)	1/2"
Top layer (mm)	European White Oak 0.6 mm		Density	45.6 lb/ft ³
Core board	HDF 10 mm (High-Density Fiberboard)		Usage classification (EN 685)	31 Brushed Pore – 15-year warranty 32 Protected Pore – 20-year warranty
Back layer (mm)	Natural wood 0.6 mm		Installation system	Unifit X
Cork	2 mm		Underfloor heating	Compatible

BOX


Dimensions	No. of Planks	Surface (ft ²)	Weight (lb)
7.2" x 7.2'	5	21.6	40.01 lb

PALLET

Dimensions	No. of Boxes	Surface (ft ²)	Net Weight (lb)
87.48" x 40.16" x 26.61"	40	864	1,600.4

VITA

LIVE NATURAL



DESCRIPTION

Aura Name	7.2" Width	Prime Grade	Thickness (in)	1/2"
Top layer (mm)	European White Oak 0.6 mm		Density	45.6 lb/ft ³
Core board	HDF 10 mm (High-Density Fiberboard)		Usage classification (EN 685)	31 Brushed Pore – 15-year warranty 32 Protected Pore – 20-year warranty
Back layer (mm)	Natural wood 0.6 mm		Installation system	Unifit X
Cork	2 mm		Underfloor heating	Compatible

BOX


Dimensions	No. of Planks	Surface (ft ²)	Weight (lb)
7.2" x 7.2'	5	21.6	40.01 lb

PALLET

Dimensions	No. of Boxes	Surface (ft ²)	Net Weight (lb)
87.48" x 40.16" x 26.61"	40	864	1,600.4

VITA

LIVE NATURAL



DESCRIPTION

Bruna Name	7.2" Width	Prime Grade	Thickness (in)	1/2"
Top layer (mm)	European White Oak 0.6 mm		Density	45.6 lb/ft ³
Core board	HDF 10 mm (High-Density Fiberboard)		Usage classification (EN 685)	31 Brushed Pore – 15-year warranty 32 Protected Pore – 20-year warranty
Back layer (mm)	Natural wood 0.6 mm		Installation system	Unifit X
Cork	2 mm		Underfloor heating	Compatible

BOX


Dimensions	No. of Planks	Surface (ft ²)	Weight (lb)
7.2" x 7.2'	5	21.6	40.01 lb

PALLET

Dimensions	No. of Boxes	Surface (ft ²)	Net Weight (lb)
87.48" x 40.16" x 26.61"	40	864	1,600.4

VITA

LIVE NATURAL



DESCRIPTION

Lumen Name	7.2" Width	Prime Grade	Thickness (in)	1/2"
Top layer (mm)	European White Oak 0.6 mm		Density	45.6 lb/ft ³
Core board	HDF 10 mm (High-Density Fiberboard)		Usage classification (EN 685)	31 Brushed Pore – 15-year warranty 32 Protected Pore – 20-year warranty
Back layer (mm)	Natural wood 0.6 mm		Installation system	Unifit X
Cork	2 mm		Underfloor heating	Compatible

BOX


Dimensions	No. of Planks	Surface (ft ²)	Weight (lb)
7.2" x 7.2'	5	21.6	40.01 lb

PALLET

Dimensions	No. of Boxes	Surface (ft ²)	Net Weight (lb)
87.48" x 40.16" x 26.61"	40	864	1,600.4

VITA

LIVE NATURAL



DESCRIPTION

Solis Name	7.2" Width	Prime Grade	Thickness (in)	1/2"
Top layer (mm)	European White Oak 0.6 mm		Density	45.6 lb/ft ³
Core board	HDF 10 mm (High-Density Fiberboard)		Usage classification (EN 685)	31 Brushed Pore – 15-year warranty 32 Protected Pore – 20-year warranty
Back layer (mm)	Natural wood 0.6 mm		Installation system	Unifit X
Cork	2 mm		Underfloor heating	Compatible

BOX

Dimensions	No. of Planks	Surface (ft ²)	Weight (lb)
7.2" x 7.2'	5	21.6	40.01 lb

PALLET

Dimensions	No. of Boxes	Surface (ft ²)	Net Weight (lb)
87.48" x 40.16" x 26.61"	40	864	1,600.4